


# Special extruder BGEMH40/35/34/32/30DR


(<http://rozrobkinauchni.vsocorp.org/>). E-mail: kbgarmasch@ukr.net

mob. tel. +38 095 466 23 89; +38 096 074 06 49



# Special extruder BGEMH40/35/34/32/30DR

- ✘ Special molding head for the production of artificial protein shell of caliber 40, 35, 34, 32, 30. This device is similar to the scheme of the German engineering office of Dr. Dorstewitz.
- ✘ The peculiarity of the device is the ability to work on the classic scheme used at the Ukrainian enterprise LLC «Belkozin», as well as the axial supply of protein collagen. An additional feature of the device is its rotor, which contributes to the quality of the moldable shell, raising its transverse discontinuous efforts. Also the unit is designed in a monoblock and has the ability to work with ammonia. Details for interested parties.
- ✘ You can order a special extruder for the formation of an artificial protein shell by these phones or e-mail.
- ✘ E-mail: [kbgarmasch@ukr.net](mailto:kbgarmasch@ukr.net)  
mob. tel. +38 095 466 23 89;
- ✘ +38 096 074 06 49



# Special extruder BGEMH40/35/34/32/30DR

Caliber of the formed artificial protein shell, mm	40, 35, 34, 32, 30
The number of versions of the extruder	54
Extruder type	Special double rotor with fixed shaft
The size of the gap in the area of weaving of the protein shell, mm	0,5 (0,75)
The size of the slit of the calibration die (caliber 40), mm	0,525±0,01 0,55±0,01 0,57±0,01
The size of the slit of the calibration die (caliber 35, 34, 32, 30), mm	0,425±0,01 0,45±0,01 0,475±0,01
Power of the driving electric motor, kW	1,5
Mains voltage, V	230/400
Power supply voltage frequency, Hz	50
Unit weight, kg	133

